

PT. MATRIX COMMINDO
 Jl. Prof SoePomo SH No.231
 Rukan Crown Palace C No.16-17 Menteng Dalam Tebet
 Jakarta Selatan- DKI Jakarta
 www.matrixindo.com
 sales@matrixindo.com 081291221576 - 087771831016

IP Camera Price List (Compatible with Hikvision NVR by private protocol, work with Dahua NVR by ONVIF)

Picture	Model	Pixel	Solution	Description	Resolution	Price List
	GWH-HWF10RC80-E	2.0MP	313E+IMX323	* 3.6/6mm M12 Lens optional * IR 10-20M,18 leds array * Metal, Vandal proof * IP66 * Color: White * QTY/ Carton: 36 * Carton SIZE: 515*385*315mm	H.265, 1/2.9" CMOS Sensor, 20fps@1080P(1920*1080), 30fps@720P(1280*720)	2,022,750.00
	GWH-HWF10RC80-C	2.0MP	HI3516CV300+IMX323		H.265,1/2.9" CMOS Sensor, 25/30fps@1080P(1920x1080)	2,311,356.35
	GWH-HWF10RC80-X	2.0MP	3516D+IMX290		H.265,1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080) WDR-120db	3,268,722.88
	GWH-HWF10RC85-H	2.0MP 3.0MP 4.0MP 5.0MP	3516D+OV4689		H.265,1/3" CMOS Sensor, 25/30fps@2 MP(1920x1080), 25/30fps@3 MP(2048*1520), 25fps@4MP(2592*1520),15fps@5MP(2592x1944)	2,995,189.59
	GWH-HWF10RC85-Z	5.0MP	3516D+IMX326		H.265,1/2.9" CMOS Sensor, 25fps@4MP(2592*1520),18fps@5MP(2592x1944)	3,309,752.88
	GWH-HWF37RC80-E	2.0MP	313E+IMX323	* 3.6/6mm M12 Lens optional * IR 10-20M,12 leds array * Metal, Vandal proof * IP66 * Color: White * QTY/ Carton: 36 * Carton SIZE: 612*418*315mm	H.265, 1/2.9" CMOS Sensor, 20fps@1080P(1920*1080), 30fps@720P(1280*720)	1,950,250.00
	GWH-HWF37RC80-C	2.0MP	HI3516CV300+IMX323		H.265,1/2.9" CMOS Sensor, 25/30fps@1080P(1920x1080)	2,229,296.36
	GWH-HWF37RC80-X	2.0MP	3516D+IMX290		H.265,1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080) WDR-120db	3,186,662.89
	GWH-HWF37RC85-H	2.0MP 3.0MP 4.0MP 5.0MP	3516D+OV4689		H.265,1/3" CMOS Sensor, 25/30fps@2 MP(1920x1080), 25/30fps@3 MP(2048*1520), 25fps@4MP(2592*1520),15fps@5MP(2592x1944)	2,913,129.60
	GWH-HWF37RC85-Z	5.0MP	3516D+IMX326		H.265,1/2.9" CMOS Sensor, 25fps@4MP(2592*1520),18fps@5MP(2592x1944)	3,227,692.89
	GWH-HWZ49RC80-E	2.0MP	313E+IMX323	* 3.6/6mm M12 Lens optional * IR 15-40M,48 leds * Metal, Vandal proof * IP66 * Color: White * QTY/ Carton: 36 * Carton SIZE: 612*418*315mm	H.265, 1/2.9" CMOS Sensor, 20fps@1080P(1920*1080), 30fps@720P(1280*720)	2,051,499.72
	GWH-HWZ49RC80-C	2.0MP	HI3516CV300+IMX323		H.265,1/2.9" CMOS Sensor, 25/30fps@1080P(1920x1080)	2,325,033.01
	GWH-HWZ49RC80-X	2.0MP	3516D+IMX290		H.265,1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080) WDR-120db	3,309,752.88
	GWH-HWZ49RC85-H	2.0MP 3.0MP 4.0MP 5.0MP	3516D+OV4689		H.265,1/3" CMOS Sensor, 25/30fps@2 MP(1920x1080), 25/30fps@3 MP(2048*1520), 25fps@4MP(2592*1520),15fps@5MP(2592x1944)	3,008,866.25
	GWH-HWZ49RC85-Z	5.0MP	3516D+IMX326		H.265,1/2.9" CMOS Sensor, 25fps@4MP(2592*1520),18fps@5MP(2592x1944)	3,350,782.87
	GWH-HWD69RC80-E	2.0MP	313E+IMX323	* 2.8-12mm varifocal Lens * IR 20-30M,4 big leds array * Metal, Vandal proof * IP66 * Color: White * QTY/ Carton: 12 * Carton SIZE: 578*330*360mm * Junction box add \$9	H.265, 1/2.9" CMOS Sensor, 20fps@1080P(1920*1080), 30fps@720P(1280*720)	2,595,830.98
	GWH-HWD69RC80-C	2.0MP	HI3516CV300+IMX323		H.265,1/2.9" CMOS Sensor, 25/30fps@1080P(1920x1080)	2,869,364.27
	GWH-HWD69RC80-X	2.0MP	3516D+IMX290		H.265,1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080) WDR-120db	3,895,114.13
	GWH-HWD69RC80-XSP	2.0MP	3516D+IMX290		H.265,1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080), 2MP WDR-120db, POE ,audio and alarm port, SD card slot	5,194,397.28
	GWH-HWD69RC85-H	2.0MP 3.0MP 4.0MP 5.0MP	3516D+OV4689		H.265,1/3" CMOS Sensor, 25/30fps@2 MP(1920x1080), 25/30fps@3 MP(2048*1520), 25fps@4MP(2592*1520),15fps@5MP(2592x1944)	3,621,580.83
	GWH-HWD69RC85-Z	5.0MP	3516D+IMX326		H.265,1/2.9" CMOS Sensor, 25fps@4MP(2592*1520),18fps@5MP(2592x1944)	3,963,497.45
	GWH-HWD69RC85-ZSP	5.0MP	3516D+IMX326		H.265,1/2.9" CMOS Sensor, 25fps@4MP(2592*1520),18fps@5MP(2592x1944) POE ,audio and alarm port, SD card slot	5,331,163.93
	GWH-HWA37RC80-E	2.0MP	313E+IMX323	* Lens:3.6mm/F1.2 * IR 10-20M, 12 leds array * Metal, Vandal proof * IP66 * QTY/ Carton: 30 * Carton SIZE: 510*450*315mm * Micro-phone, add \$2.5 * Junction box add \$5.2	H.265, 1/2.9" CMOS Sensor, 20fps@1080P(1920*1080), 30fps@720P(1280*720)	1,983,116.39
	GWH-HWA37RC80-C	2.0MP	HI3516CV300+IMX323		H.265,1/2.9" CMOS Sensor, 25/30fps@1080P(1920x1080)	2,256,649.69
	GWH-HWA37RC80-X	2.0MP	3516D+IMX290		H.265,1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080) WDR-120db	3,214,016.22
	GWH-HWA37RC85-H	2.0MP 3.0MP 4.0MP 5.0MP	3516D+OV4689		H.265,1/3" CMOS Sensor, 25/30fps@2 MP(1920x1080), 25/30fps@3 MP(2048*1520), 25fps@4MP(2592*1520),15fps@5MP(2592x1944)	2,940,482.93
	GWH-HWA37RC85-Z	5.0MP	3516D+IMX326		H.265,1/2.9" CMOS Sensor, 25fps@4MP(2592*1520),18fps@5MP(2592x1944)	3,255,046.22

	GWH-HWA56RC80-E	2.0MP	313E+IMX323	<ul style="list-style-type: none"> * 2.8-12mm varifocal Lens * IR 15-30M,20 leds array * Metal, Vandal proof * IP66 * QTY/Carton: 18 * Carton SIZE: 615*350*350mm * Junction box add \$5.2 	H.265, 1/2.9" CMOS Sensor, 20fps@1080P(1920*1080), 30fps@720P(1280*720)	2,598,566.31
	GWH-HWA56RC80-C	2.0MP	HI3516CV300+IMX323		H.265, 1/2.9" CMOS Sensor, 25/30fps@1080P(1920x1080)	2,872,099.60
	GWH-HWA56RC80-X	2.0MP	3516D+IMX290		H.265, 1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080), WDR-120db	3,897,849.46
	GWH-HWA56RC80-XSP	2.0MP	3516D+IMX290		H.265, 1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080) WDR-120db POE ,audio and alarm port, SD card slot	5,197,132.62
	GWH-HWA56RC85-H	2.0MP 3.0MP 4.0MP 5.0MP	3516D+OV4689		H.265, 1/3" CMOS Sensor, 25/30fps@2 MP(1920x1080), 25/30fps@3 MP(2048*1520), 25fps@4MP(2592*1520), 15fps@5MP(2592x1944)	3,624,316.17
	GWH-HWA56RC85-Z	5.0MP	3516D+IMX326		H.265, 1/2.9" CMOS Sensor, 25fps@4MP(2592*1520), 18fps@5MP(2592x1944)	3,966,232.79
	GWH-HWA56RC85-ZSP	5.0MP	3516D+IMX326		H.265, 1/2.9" CMOS Sensor, 25fps@4MP(2592*1520), 18fps@5MP(2592x1944) POE ,audio and alarm port, SD card slot	5,333,899.26
	GWH-HWZ86RC80-E	2.0MP	313E+IMX323	<ul style="list-style-type: none"> * 2.8-12mm varifocal Lens * IR 40-60M,3 leds array * Metal, Vandal proof * IP66 * Color: White * QTY/Carton: 12 * Carton SIZE: 578*330*360mm * Junction box add \$5.2 	H.265, 1/2.9" CMOS Sensor, 20fps@1080P(1920*1080), 30fps@720P(1280*720)	2,735,332.96
	GWH-HWZ86RC80-C	2.0MP	HI3516CV300+IMX323		H.265, 1/2.9" CMOS Sensor, 25/30fps@1080P(1920x1080)	3,008,866.25
	GWH-HWZ86RC80-X	2.0MP	3516D+IMX290		H.265, 1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080) WDR-120db	4,034,616.11
	GWH-HWZ86RC80-XSP	2.0MP	3516D+IMX290		H.265, 1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080) WDR-120db, POE ,audio and alarm port, SD card slot	5,333,899.26
	GWH-HWZ86RC85-H	2.0MP 3.0MP 4.0MP 5.0MP	3516D+OV4689		H.265, 1/3" CMOS Sensor, 25/30fps@2 MP(1920x1080), 25/30fps@3 MP(2048*1520), 25fps@4MP(2592*1520), 15fps@5MP(2592x1944)	3,829,466.14
	GWH-HWZ86RC85-Z	5.0MP	3516D+IMX326		H.265, 1/2.9" CMOS Sensor, 25fps@4MP(2592*1520), 18fps@5MP(2592x1944)	4,102,999.43
	GWH-HWZ86RC85-ZSP	5.0MP	3516D+IMX326		H.265, 1/2.9" CMOS Sensor, 25fps@4MP(2592*1520), 18fps@5MP(2592x1944) POE ,audio and alarm port, SD card slot	5,470,665.91
	GWH-HWZ61RC80-E	2.0MP	313E+IMX323	<ul style="list-style-type: none"> * 2.8-12mm varifocal Lens * IR 20-50M,64 leds * Metal, Vandal proof * IP66 * Color: Gray * QTY/Carton: 18 * Carton SIZE: 615*350*350mm 	H.265, 1/2.9" CMOS Sensor, 20fps@1080P(1920*1080), 30fps@720P(1280*720)	2,598,566.31
	GWH-HWZ61RC80-C	2.0MP	HI3516CV300+IMX323		H.265, 1/2.9" CMOS Sensor, 25/30fps@1080P(1920x1080)	2,872,099.60
	GWH-HWZ61RC80-X	2.0MP	3516D+IMX290		H.265, 1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080) WDR-120db	3,897,849.46
	GWH-HWZ61RC85-H	2.0MP 3.0MP 4.0MP 5.0MP	3516D+OV4689		H.265, 1/3" CMOS Sensor, 25/30fps@2 MP(1920x1080), 25/30fps@3 MP(2048*1520), 25fps@4MP(2592*1520), 15fps@5MP(2592x1944)	3,692,699.49
	GWH-HWZ61RC85-Z	5.0MP	3516D+IMX326		H.265, 1/2.9" CMOS Sensor, 25fps@4MP(2592*1520), 18fps@5MP(2592x1944)	3,966,232.79
	GWH-HWZ61RC85-ZSP	5.0MP	3516D+IMX326		H.265, 1/2.9" CMOS Sensor, 25fps@4MP(2592*1520), 18fps@5MP(2592x1944) POE ,audio and alarm port, SD card slot	5,470,665.91
	GWH-HWD21RC80-E	2.0MP	313E+IMX323	<ul style="list-style-type: none"> * 2.8-12mm varifocal Lens * IR 50-80M,2 big leds array * Metal, Vandal proof * IP66 * Color: White * QTY/Carton: 12 * Carton SIZE: 578*330*360mm 	H.265, 1/2.9" CMOS Sensor, 20fps@1080P(1920*1080), 30fps@720P(1280*720)	2,872,099.60
	GWH-HWD21RC80-C	2.0MP	HI3516CV300+IMX323		H.265, 1/2.9" CMOS Sensor, 25/30fps@1080P(1920x1080)	3,145,632.90
	GWH-HWD21RC80-X	2.0MP	3516D+IMX290		H.265, 1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080) WDR-120db	4,102,999.43
	GWH-HWD21RC85-H	2.0MP 3.0MP 4.0MP 5.0MP	3516D+OV4689		H.265, 1/3" CMOS Sensor, 25/30fps@2 MP(1920x1080), 25/30fps@3 MP(2048*1520), 25fps@4MP(2592*1520), 15fps@5MP(2592x1944)	3,897,849.46
	GWH-HWD21RC85-Z	5.0MP	3516D+IMX326		H.265, 1/2.9" CMOS Sensor, 25fps@4MP(2592*1520), 18fps@5MP(2592x1944)	4,171,382.76
	GWH-HDB18RC80-E	2.0MP	313E+IMX323	<ul style="list-style-type: none"> * 3.6/6mm M12 Lens optiona * IR distance: 10-20M * Metal, Vandal proof * IP65 * Color: White * QTY/Carton: 45 * Carton SIZE: 605*375*350mm 	H.265, 1/2.9" CMOS Sensor, 20fps@1080P(1920*1080), 30fps@720P(1280*720)	2,074,750.05
	GWH-HDB18RC80-C	2.0MP	HI3516CV300+IMX323		H.265, 1/2.9" CMOS Sensor, 25/30fps@1080P(1920x1080)	2,348,283.34
	GWH-HDB18RC80-X	2.0MP	3516D+IMX290		H.265, 1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080), WDR-120db	3,360,356.54
	GWH-HDB18RC85-H	2.0MP 3.0MP 4.0MP 5.0MP	3516D+OV4689		H.265, 1/3" CMOS Sensor, 25/30fps@2 MP(1920x1080), 25/30fps@3 MP(2048*1520), 25fps@4MP(2592*1520), 15fps@5MP(2592x1944)	3,032,116.58
	GWH-HDB18RC85-Z	5.0MP	3516D+IMX326		H.265, 1/2.9" CMOS Sensor, 25fps@4MP(2592*1520), 18fps@5MP(2592x1944), 3.6mm Lens	3,401,386.53
	GWH-HDN85RC80-E	2.0MP	313E+IMX323	<ul style="list-style-type: none"> * 3.6mm M12 Lens * IR 10-20M, 12 leds array * Metal, Vandal proof * IP65 * Color: White, Slate Gray color * QTY/Carton: 45 * Carton SIZE: 605*375*350mm 	H.265, 1/2.9" CMOS Sensor, 20fps@1080P(1920*1080), 30fps@720P(1280*720)	1,887,379.74
	GWH-HDN85RC80-C	2.0MP	HI3516CV300+IMX323		H.265, 1/2.9" CMOS Sensor, 25/30fps@1080P(1920x1080)	2,160,913.04
	GWH-HDN85RC80-X	2.0MP	3516D+IMX290		H.265, 1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080), WDR-120db	3,186,662.89
	GWH-HDN85RC85-H	2.0MP 3.0MP 4.0MP 5.0MP	3516D+OV4689		H.265, 1/3" CMOS Sensor, 25/30fps@2 MP(1920x1080), 25/30fps@3 MP(2048*1520), 25fps@4MP(2592*1520), 15fps@5MP(2592x1944)	2,844,746.27
	GWH-HDN85RC85-Z	5.0MP	3516D+IMX326		H.265, 1/2.9" CMOS Sensor, 25fps@4MP(2592*1520), 18fps@5MP(2592x1944)	3,214,016.22

	GWH-HDN95RC80-E	2.0MP	313E+IMX323	* 2.8-12mm varifocal Lens * IR 15-30M,18leds array * Metal, Vandal proof	H.265, 1/2.9" CMOS Sensor, 20fps@1080P(1920*1080), 30fps@720P(1280*720)	2,393,416.34
	GWH-HDN95RC80-C	2.0MP	HI3516CV300+IMX323	* IP66 * Color: White, Slate Gray color optional	H.265, 1/2.9" CMOS Sensor, 25/30fps@1080P(1920x1080)	2,666,949.63
	GWH-HDN95RC80-X	2.0MP	3516D+IMX290	* QTY/Carton: 12 * Carton SIZE: 420*280*280mm	H.265, 1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080) WDR-120db	3,692,699.49
	GWH-HDN95RC85-H	2.0MP 3.0MP 4.0MP 5.0MP	3516D+OV4689	* Bracket add \$3.3	H.265, 1/3" CMOS Sensor, 25/30fps@2 MP(1920x1080), 25/30fps@3 MP(2048*1520), 25fps@4MP(2592*1520), 15fps@5MP(2592x1944)	3,419,166.20
	GWH-HDN95RC85-Z	5.0MP	3516D+IMX326		H.265, 1/2.9" CMOS Sensor, 25fps@4MP(2592*1520), 18fps@5MP(2592x1944)	3,761,082.81
	GWH-HDA56RC80-E	2.0MP	313E+IMX323	* 2.8-12mm varifocal Lens * IR 10-25M, 18 leds array * Metal, Vandal proof	H.265, 1/2.9" CMOS Sensor, 20fps@1080P(1920*1080), 30fps@720P(1280*720)	2,393,416.34
	GWH-HDA56RC80-C	2.0MP	HI3516CV300+IMX323	* IP65 * Color: White	H.265, 1/2.9" CMOS Sensor, 25/30fps@1080P(1920x1080) WDR-120db	2,666,949.63
	GWH-HDA56RC80-X	2.0MP	3516D+IMX290	* Bracket optional * QTY/Carton: 12 * Carton SIZE: 420*280*280mm	H.265, 1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080), WDR-120db	3,692,699.49
	GWH-HDA56RC85-H	2.0MP 3.0MP 4.0MP 5.0MP	3516D+OV4689		H.265, 1/3" CMOS Sensor, 25/30fps@2 MP(1920x1080), 25/30fps@3 MP(2048*1520), 25fps@4MP(2592*1520), 15fps@5MP(2592x1944), 5MP	3,419,166.20
	GWH-HDA56RC85-Z	5.0MP	3516D+IMX326		H.265, 1/2.9" CMOS Sensor, 25fps@4MP(2592*1520), 18fps@5MP(2592x1944)	3,761,082.81
	GWH-HDB52RC80-E	2.0MP	313E+IMX323	* 3.6mm M12 Lens * IR 5-15M, 12 leds array * Metal, Vandal proof	H.265, 1/2.9" CMOS Sensor, 20fps@1080P(1920*1080), 30fps@720P(1280*720)	1,955,763.06
	GWH-HDB52RC80-C	2.0MP	HI3516CV300+IMX323	* IP66 * Color: White	H.265, 1/2.9" CMOS Sensor, 25/30fps@1080P(1920x1080) WDR-120db	2,229,296.36
	GWH-HDB52RC80-X	2.0MP	3516D+IMX290	* Bracket optional * QTY/Carton: 12 * Carton SIZE: 420*280*280mm	H.265, 1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080) WDR-120db	3,255,046.22
	GWH-HDB52RC85-H	2.0MP 3.0MP 4.0MP 5.0MP	3516D+OV4689	* Micro-phone, add \$2.5	H.265, 1/3" CMOS Sensor, 25/30fps@2 MP(1920x1080), 25/30fps@3 MP(2048*1520), 25fps@4MP(2592*1520), 15fps@5MP(2592x1944)	2,981,512.92
	GWH-HDB52RC85-Z	5.0MP	3516D+IMX326		H.265, 1/2.9" CMOS Sensor, 25fps@4MP(2592*1520), 18fps@5MP(2592x1944)	3,282,399.55
	GWH-HDA55RC80-E	2.0MP	313E+IMX323	* 2.8-12mm varifocal Lens * IR 10-25M, 18 leds array * Metal, Vandal proof	H.265, 1/2.9" CMOS Sensor, 20fps@1080P(1920*1080), 30fps@720P(1280*720)	2,461,799.66
	GWH-HDA55RC80-C	2.0MP	HI3516CV300+IMX323	* IP66 * Color: White	H.265, 1/2.9" CMOS Sensor, 25/30fps@1080P(1920x1080) WDR-120db	2,735,332.96
	GWH-HDA55RC80-X	2.0MP	3516D+IMX290	* Bracket optional * QTY/Carton: 12 * Carton SIZE: 479*326*270mm	H.265, 1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080) WDR-120db	3,761,082.81
	GWH-HDA55RC85-H	2.0MP 3.0MP 4.0MP 5.0MP	3516D+OV4689	* Micro-phone, add \$2.5	H.265, 1/3" CMOS Sensor, 25/30fps@2 MP(1920x1080), 25/30fps@3 MP(2048*1520), 25fps@4MP(2592*1520), 15fps@5MP(2592x1944)	3,487,549.52
	GWH-HDA55RC85-Z	5.0MP	3516D+IMX326		H.265, 1/2.9" CMOS Sensor, 25fps@4MP(2592*1520), 18fps@5MP(2592x1944)	3,829,466.14
	GWH-HDB78RC80-EP	2.0MP	313E+IMX323	* 2.8-12mm varifocal Lens * IR 15-30M, 30 leds * Metal, Vandal proof	H.265, 1/2.9" CMOS Sensor, 20fps@1080P(1920*1080), 30fps@720P(1280*720), POE	3,077,249.58
	GWH-HDB78RC80-CP	2.0MP	HI3516CV300+IMX323	* IP66 * Color: White	H.265, 1/2.9" CMOS Sensor, 25/30fps@1080P(1920x1080), POE	3,350,782.87
	GWH-HDB78RC80-XP	2.0MP	3516D+IMX290	* Bracket optional * QTY/Carton: 12 * Carton SIZE: 575*390*310mm	H.265, 1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080) WDR-120db; POE	4,376,532.73
	GWH-HDB78RC80-XSP	2.0MP	3516D+IMX290		H.265, 1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080) WDR-120db; POE, audio and alarm port, SD card slot	5,402,282.59
	GWH-HDB78RC85-HP	2.0MP 3.0MP 4.0MP 5.0MP	3516D+OV4689	*Special for project unit *Pro dome's unique clamshell design outshines, all the others in hardware innovation for hassle-free installation *with waterproof pipe	H.265, 1/3" CMOS Sensor, 25/30fps@2 MP(1920x1080), 25/30fps@3 MP(2048*1520), 25fps@4MP(2592*1520), 15fps@5MP(2592x1944); POE	4,171,382.76
	GWH-HDB78RC85-ZP	5.0MP	3516D+IMX326		H.265, 1/2.9" CMOS Sensor, 25fps@4MP(2592*1520), 18fps@5MP(2592x1944); POE	4,444,916.05
	GWH-HDB78RC85-ZSP	5.0MP	3516D+IMX326	*Bracket add \$10.2	H.265, 1/2.9" CMOS Sensor, 25fps@4MP(2592*1520), 18fps@5MP(2592x1944); POE, audio and alarm port, SD card slot	5,470,665.91
	GWH-HDB55RC80-E	2.0MP	313E+IMX323	* 2.8-12mm varifocal Lens * IR 10-30M, 4 big leds array * Metal, Vandal proof	H.265, 1/2.9" CMOS Sensor, 20fps@1080P(1920*1080), 30fps@720P(1280*720)	2,944,585.93
	GWH-HDB55RC80-C	2.0MP	HI3516CV300+IMX323	* IP66 * Color: White	H.265, 1/2.9" CMOS Sensor, 25/30fps@1080P(1920x1080) WDR-120db	3,218,119.22
	GWH-HDB55RC80-X	2.0MP	3516D+IMX290	* Bracket optional * QTY/Carton: 12 * Carton SIZE: 575*390*310mm	H.265, 1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080) WDR-120db; POE, audio and alarm port, SD card slot	4,243,869.08
	GWH-HDB55RC80-XSP	2.0MP	3516D+IMX290		H.265, 1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080) WDR-120db; POE, audio and alarm port, SD card slot	5,953,452.18
	GWH-HDB55RC85-H	2.0MP 3.0MP 4.0MP 5.0MP	3516D+OV4689		H.265, 1/3" CMOS Sensor, 25/30fps@2 MP(1920x1080), 25/30fps@3 MP(2048*1520), 25fps@4MP(2592*1520), 15fps@5MP(2592x1944)	4,038,719.11
	GWH-HDB55RC85-Z	5.0MP	3516D+IMX326	*Bracket add \$9 *Junction box add \$9	H.265, 1/2.9" CMOS Sensor, 25fps@4MP(2592*1520), 18fps@5MP(2592x1944)	4,312,252.41
	GWH-HDB55RC85-ZSP	5.0MP	3516D+IMX326		H.265, 1/2.9" CMOS Sensor, 25fps@4MP(2592*1520), 18fps@5MP(2592x1944); POE, audio and alarm port, SD card slot	6,021,835.50

Hidden IP Cameras						
	GWH-HMY06RC80-E	2.0MP	313E+IMX323	* 3.7mm Lens optional * 5-15M/ 12xØ5 IR Leds, * Metal * Vandal proof * Color: White * QTY/Carton: 12 * Carton SIZE: 515*360*315mm	H.265, 1/2.9" CMOS Sensor, 20fps@1080P(1920*1080), 30fps@720P(1280*720)	2,051,499.72
	GWH-HMY06RC80-C		HI3516CV300+IMX323		H.265, 1/2.9" CMOS Sensor, 25/30fps@1080P(1920x1080)	2,393,416.34
	GWH-HMY06RC80-X		3516D+IMX290		H.265, 1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080) WDR-120db	3,350,782.87
	GWH-HMY06RC85-H	2.0MP 3.0MP 4.0MP 5.0MP	3516D+OV4689		H.265, 1/3" CMOS Sensor, 25/30fps@2 MP(1920x1080), 25/30fps@3 MP(2048*1536), 25fps@4MP(2592*1520), 15fps@5MP(2592x1944)	3,077,249.58
	GWH-HMY06RC85-Z	5.0MP	3516D+IMX326		H.265, 1/2.9" CMOS Sensor, 25fps@4MP(2592*1520), 18fps@5MP(2592x1944)	3,350,782.87
Starlight Lens IP Cameras						
Picture	Model	Pixel	Solution	Description	Price	
	GWH-HWE37XC80-L	2.0MP	HI3516C+IMX291	* QTY/Carton: 30 * Carton SIZE: 510*450*315mm *Junction box add \$5.2	H.264, 1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080), 3MP star light 3.6mm Lens, IP66, DC12V, ONVIF 2.4, Vandal proof.	2,874,099.60
	GWH-HWF56XC80-L	2.0MP	HI3516C+IMX291	* QTY/Carton: 18 * Carton SIZE: 615*350*350mm *Junction box add \$5.2	H.264, 1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080), 3MP star light 3.6mm Lens, IP66 DC12V, ONVIF 2.4, Vandal proof	3,145,632.90
	GWH-HDA95XC80-L	2.0MP	HI3516C+IMX291	* QTY/Carton: 12 * Carton SIZE: 420*280*280mm *Junction box add \$3.3	H.264, 1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080), 3MP star light 3.6mm Lens, DC12V, ONVIF 2.4, Vandal proof.IP66	2,940,482.93
Motorized Lens (Compatible with Hikvision NVR by private protocol) APP : Danale (PoE add \$4.5)						
Picture	Model	Pixel	Solution	Description	Price	
	GWH-HDA95RC80-CM	2.0MP	HI3516CV300+IMX323	*15-30M/ Array IR LEDs*18, * Metal,Vandal proof; *IP66 * Color: White, * QTY/Carton: 12 * Carton SIZE: 420*280*280mm *Junction box add \$3.3	1/2.9" CMOS Sensor, 25/30fps@1080P(1920x1080); 2.8-12mm Motorized Lens	3,426,937.03
	GWH-HDA95RC85-HM	5.0MP	3516D+OV4689		1/3" CMOS Sensor, 25/30fps@2 MP(1920x1080), 25fps@3 MP(2048*1536), 20fps@4 MP(2560*1440), 15fps@5MP(2592x1944 5MP2.8-12mm Motorized Lens,	4,056,374.44
	GWH-HDA95RC80-XM	2.0MP	3516D+IMX290		1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080), 2.7-13.5mm Motorized Lens, WDR-120db	4,475,999.38
	GWH-HDA95RC85-ZM	5.0MP	3516D+IMX326		1/2.9" CMOS Sensor, 25fps@4MP(2592*1520), 18fps@5MP(2592x1944), 5MP2.7-13.5mm Motorized Lens,	4,825,686.83
	GWH-HDB55RC80-CM	2.0MP	HI3516CV300+IMX323	*15-30M/ 4 IR Leds array, * Metal,Vandal proof; * IP66 * Color: White, * QTY/Carton: 12 * Carton SIZE: 575*390*310mm *Bracket add \$9 *Junction box add \$9	1/2.9" CMOS Sensor, 25/30fps@1080P(1920x1080) 2.8-12mm Motorized Lens,	4,270,383.16
	GWH-HDB55RC85-HM	5.0MP	3516D+OV4689		1/3" CMOS Sensor, 25/30fps@2 MP(1920x1080), 25fps@3 MP(2048*1536), 20fps@4 MP(2560*1440), 15fps@5MP(2592x1944 5MP2.8-12mm Motorized Lens,	4,759,945.59
	GWH-HDB55RC80-XM	2.0MP	3516D+IMX290		1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080) 2.7-13.5mm Motorized Lens, WDR-120db	4,969,758.06
	GWH-HDB55RC80-XSMP	2.0MP	3516D+IMX290		1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080) 2.7-13.5mm Motorized Lens, WDR-120db POE ,audio and alarm port, SD card slot	6,228,632.89
	GWH-HDB55RC85-ZM	5.0MP	3516D+IMX326		1/2.9" CMOS Sensor, 25fps@4MP(2592*1520), 18fps@5MP(2592x1944), 5MP2.7-13.5mm Motorized Lens	5,319,445.52
	GWH-HDB55RC85-ZSMP	5.0MP	3516D+IMX326		1/2.9" CMOS Sensor, 25fps@4MP(2592*1520), 18fps@5MP(2592x1944), 5MP2.7-13.5mm Motorized Lens POE ,audio and alarm port, SD card slot	6,508,382.85
	GWH-HDB78RC80-MCP	2.0MP	HI3516CV300+IMX323	*15-30M/ 30xØ5 IR Leds, * Metal,Vandal proof; IP66 * Color: White, * QTY/Carton: 12 * Carton SIZE: 575*390*310mm *Special for project unit *Pro dome's unique clamshell design outshines, all the others in hardware innovation for hassle-free installation *with *waterproof pipe *Bracket add \$10.2	1/2.9" CMOS Sensor, 25/30fps@1080P(1920x1080), 2.8-12mm Motorized Lens, POE	4,406,061.89
	GWH-HDB78RC80-XMP	2.0MP	3516D+IMX290		1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080), 2.7-13.5mm Motorized Lens, POE	5,105,436.80
	GWH-HDB78RC80-XSMP	2.0MP	3516D+IMX290		1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080), 2.7-13.5mm Motorized Lens, WDR-120db POE ,audio and alarm port, SD card slot	6,014,624.17
	GWH-HDB78RC85-HMP	5.0MP	3516D+OV4689		1/3" CMOS Sensor, 25/30fps@2 MP(1920x1080), *25fps@3 MP(2048*1536), 20fps@4 MP(2560*1440), 15fps@5MP(2592x1944 5MP2.8-12mm Motorized Lens, POE	4,895,624.32
	GWH-HDB78RC85-ZMP	5.0MP	3516D+IMX326		1/2.9" CMOS Sensor, 25fps@4MP(2592*1520), 18fps@5MP(2592x1944), 5MP2.7-13.5mm Motorized Lens, POE	5,455,124.25
	GWH-HDB78RC85-ZSMP	5.0MP	3516D+IMX326		1/2.9" CMOS Sensor, 25fps@4MP(2592*1520), 18fps@5MP(2592x1944), 5MP2.7-13.5mm Motorized Lens, POE ,audio and alarm port, SD card slot	6,294,374.13

 	GWH-HWA69RC80-CM	2.0MP	HI3516CV300+IMX323	*20-30M/ Array IR LEDs*4, * Metal,Vandal proof; IP66 * Color: White * QTY/ Carton: 18 * Carton SIZE: 615*350*350mm *Junction box add \$9	1/2.9" CMOS Sensor, 25/30fps@1080P(1920x1080), 2.8-12mm Motorized Lens,	3,703,889.49
	GWH-HWA69RC80-XM	2.0MP	3516D+IMX290		1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080), 2.7-13.5mm Motorized Lens, WDR-120db	4,543,139.37
	GWH-HWA69RC80-XSMP	2.0MP	3516D+IMX290		1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080), 2.7-13.5mm Motorized Lens, WDR-120db POE ,audio and alarm port, SD card slot	5,732,076.71
	GWH-HWA69RC85-HM	5.0MP	3516D+OV4689		1/3" CMOS Sensor, 25/30fps@2 MP(1920x1080), 25fps@3 MP(2048*1536), 20fps@4 MP(2560*1440), 15fps@5MP(2592x1944) 5MP2.8-12mm Motorized Lens,	4,333,326.90
	GWH-HWA69RC85-ZM	5.0MP	3516D+IMX326		1/2.9" CMOS Sensor, 25fps@4MP(2592*1520),18fps@5MP(2592x1944), 5MP2.7-13.5mm Motorized Lens,	4,892,826.83
	GWH-HWA69RC85-ZSMP	5.0MP	3516D+IMX326		1/2.9" CMOS Sensor, 25fps@4MP(2592*1520),18fps@5MP(2592x1944), 5MP2.7-13.5mm Motorized Lens, POE ,audio and alarm port, SD card slot	6,081,764.16
 	GWH-HWA56RC80-CM	2.0MP	HI3516CV300+IMX323	*15-30M/ Array IR LEDs*20, * Metal,Vandal proof; IP66 * Color: White * QTY/ Carton: 18 * Carton SIZE: 615*350*350mm *Junction box add \$5.2	1/2.9" CMOS Sensor, 25/30fps@1080P(1920x1080), 2.8-12mm Motorized Lens,	3,706,686.99
	GWH-HWA56RC80-XM	2.0MP	3516D+IMX290		1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080), 2.7-13.5mm Motorized Lens, WDR-120db	4,545,936.87
	GWH-HWA56RC80-XSMP	2.0MP	3516D+IMX290		1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080), 2.7-13.5mm Motorized Lens, WDR-120db POE ,audio and alarm port, SD card slot	5,734,874.21
	GWH-HWA56RC85-HM	5.0MP	3516D+OV4689		1/3" CMOS Sensor, 25/30fps@2 MP(1920x1080), 25fps@3 MP(2048*1536), 20fps@4 MP(2560*1440), 15fps@5MP(2592x1944) 5MP2.8-12mm Motorized Lens,	4,336,124.40
	GWH-HWA56RC85-ZM	5.0MP	3516D+IMX326		1/2.9" CMOS Sensor, 25fps@4MP(2592*1520),18fps@5MP(2592x1944), 5MP2.7-13.5mm Motorized Lens,	4,895,624.32
	GWH-HWA56RC85-ZSMP	5.0MP	3516D+IMX326		1/2.9" CMOS Sensor, 25fps@4MP(2592*1520),18fps@5MP(2592x1944), 5MP2.7-13.5mm Motorized Lens, POE ,audio and alarm port, SD card slot	6,084,561.66
 	GWH-HWA86RC80-CM	2.0MP	HI3516CV300+IMX323	*40-60M/ Array IR LEDs*3 * Metal,Vandal proof; IP66 * Color: White * QTY/ Carton: 12 * Carton SIZE: 578*330*360mm *Junction box add \$5.2	1/2.9" CMOS Sensor, 25/30fps@1080P(1920x1080), 2.8-12mm Motorized Lens,	3,916,499.46
	GWH-HWA86RC80-XM	2.0MP	3516D+IMX290		1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080), 2.7-13.5mm Motorized Lens, WDR-120db	4,755,749.34
	GWH-HWA86RC80-XSMP	2.0MP	3516D+IMX290		1/2.8" CMOS Sensor, 25/30fps@1080P(1920x1080), 2.7-13.5mm Motorized Lens, WDR-120db POE ,audio and alarm port, SD card slot	5,944,686.68
	GWH-HWA86RC85-HM	5.0MP	3516D+OV4689		1/3" CMOS Sensor, 25/30fps@2 MP(1920x1080), 25fps@3 MP(2048*1536), 20fps@4 MP(2560*1440), 15fps@5MP(2592x1944) 5MP2.8-12mm Motorized Lens	4,545,936.87
	GWH-HWA86RC85-ZM	5.0MP	3516D+IMX326		1/2.9" CMOS Sensor, 25fps@4MP(2592*1520),18fps@5MP(2592x1944), 5MP2.7-13.5mm Motorized Lens,	5,105,436.80
	GWH-HWA86RC85-ZSMP	5.0MP	3516D+IMX326		1/2.9" CMOS Sensor, 25fps@4MP(2592*1520),18fps@5MP(2592x1944), 5MP2.7-13.5mm Motorized Lens, POE ,audio and alarm port, SD card slot	6,294,374.13